

Brand Guide

This document provides the essential tools to bring the CalABLE brand to life, with clear guidelines for key brand elements, including: logo, typography, and color.





Logo Typography Color





Full Color Logo

CalABLE's logo consists of two parts, a mark and logotype. These two elements can be arranged into three separate lockups, middle, horizontal and vertical. In some rare instances, the mark can live on its own.

Whenever possible the logo should be represented in full color. If black or white versions are needed they are available in the library.





Clear space

All applications of all versions of the CalABLE logo should adhere to clear space requirements. No other items such as artwork, copy or other logos should impede the clear space outlined below. As a rule of thumb the clear space should be equal to the height of the mark on all four sides.

MIDDLE LOCKUP

HORIZONTAL LOCKUP

VERTICAL LOCKUP

BUG











Typography



Typography Conventions

CalABLE's typography conventions utilize a single font family, Public Sans, in the following weights. In any instance where additional weights should be needed they should always come from the Public Sans family. Instances that require a narrow font may utilize Public Sans Thin but this should be used sparingly.

HEADLINES



PUBLIC SANS BLACK

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz !@#\$%^&*(1234567890

SUBHEADS



PUBLIC SANS SEMI-BOLD

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz !@#\$%^&*(1234567890

BODY COPY



PUBLIC SANS REGULAR

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz !@#\$%^&*(1234567890






Primary

CalABLE's primary color pallete is simple and includes CalABLE Dark Blue, CalABLE Bright Blue and CalABLE Yellow. Permissible shades/tints of each primary color are outlined below their respective swatch. These shades/tints should be used sparingly and in accordance with best design practices.










Grayscale



Special Use

These may be used only in cases where digital UI requires more than 2-3 colors.

